



PATENT APPLICATION

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re the application of:

Attorney Docket No.: 43708.14.1

ERIKSEN, et al.

Application No.: 10/087,302

Examiner: NATNITHITHADHA, N.

Filed: February 28, 2002

Group Art Unit: 3736

For: VOLUMETRIC PHYSIOLOGICAL MEASURING SYSTEM AND METHOD

INFORMATION DISCLOSURE STATEMENT

Commissioner for Patents
PO Box 1450
Alexandria, VA 22313-1450

Sir:


Pursuant to 37 C.F.R. § 1.56, the attention of the Patent and Trademark Office is hereby directed to the references listed on the attached Form PTO-1449. It is respectfully requested that the information be expressly considered during the prosecution of this application, and that the references be made of record therein and appear among the "References Cited" on any patent to issue therefrom.

This Information Disclosure Statement is being filed before the mailing date of a first Office Action after the filing of a Request for Continued Examination under 37 C.F.R. § 1.114.

By submitting these references, Applicant does not admit that the references are prior art to or material to this application, and reserves the right to establish that any reference is not prior art. Applicant does not represent that the references have been reviewed in detail; there

may be details in the references of which Applicant is unaware.

Respectfully submitted,



John F. Dolan
Registration No. 45,382


Customer No. 22859
Fredrikson & Byron, P.A.
200 South Sixth Street, Suite 4000
Minneapolis, MN 55402-1425 USA
Telephone: (612) 492-7000
Facsimile: (612) 492-7077

Please grant any extension of time necessary for entry; charge any fee due to Deposit Account No. 06-1910.

CERTIFICATE OF MAILING

I hereby certify that this document is being deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to: Commissioner for Patents, PO Box 1450, Alexandria, VA 22313-1450 on

April 13, 2004
Date of Deposit


Joleen R. Lauer

[illegible]